



# Mechanizing Mathematics

Case of Study: The infinity of prime numbers by Fürstenberg  
argument

Universidad Nacional de Colombia - Sede Manizales  
Facultad de Ciencias Exactas y Naturales

**Thaynara Arielly de Lima (IME)**  **UFG**  
**Mauricio Ayala-Rincón (CIC-MAT)**  **UnB**

*Funded by the Brazilian agencies CNPq, grants Universal 409003/21-2;  
FAPDF, grant DE 00193-00001175/2021-11 and  
FAPEG, grant 202310267000223.*

May 29 - June 02 , 2023

# Talk's Plan


## 1 Infinity of Primes - Topological Argument

# Infinity of Primes:

## Fürstenberg Topological Argument [2], [1]

Our main goal in this mini-course is to formalize the Infinity of Primes following the Fürstenberg argumentation.

Let's see the analytical proof of such fact.



# Infinity of Primes:

## Fürstenberg Topological Argument

### Topology



A topology over a set  $X$  is a collection  $\tau$  of subsets of  $X$  satisfying the following properties:

- i)  $\emptyset$  and  $X$  belong to  $\tau$ ;
  - ii) The union of elements of any sub-collection of  $\tau$  belongs to  $\tau$ ;
  - iii) The intersection of elements of a finite sub-collection of  $\tau$  belongs to  $\tau$ .
- A set  $X$  equipped with a topology  $\tau$  is called a **topological space**.
  - A subset  $U$  of a topological space  $X$ , that belongs to the collection  $\tau$ , is called an **open set of  $X$** .

# Fürstenberg Topological Argument

## Example

Consider the sets  $X = \mathbb{Z}$  and  $N_{a,b} = \{a + n \cdot b; n \in \mathbb{Z}\}$ ,  $a, b \in \mathbb{Z}$ , where  $b > 0$ . A set  $O \subseteq \mathbb{Z}$  is called open if and only if  $O = \emptyset$  or for every  $a \in O$ , there is an integer  $b > 0$  such that  $N_{a,b} \subseteq O$ .



The collection  $\tau$ , induced by the open sets of type  $O$ , is a topology over  $\mathbb{Z}$ :

- i)  $\emptyset$  and  $\mathbb{Z}$  belong to  $\tau$ ;
- ii) By the definition of elements of  $\tau$ , the arbitrary union of subsets of  $\tau$  belongs to  $\tau$ ;
- iii) If  $O_1$  and  $O_2$  belong to  $\tau$  then  $O_1 \cap O_2$  belongs to  $\tau$ .
  - ▶ In fact, consider  $a \in O_1 \cap O_2$ . There are  $b_1$  and  $b_2$  such that  $N_{a,b_1} \subseteq O_1$  e  $N_{a,b_2} \subseteq O_2$ . Logo,  $N_{a,b_1 \cdot b_2} \subseteq O_1 \cap O_2$ .

# Fürstenberg Topological Argument

- **Statement 1:** Any nonempty open set is infinite.
  - ▶ Proof: if  $O \neq \emptyset$  then  $N_{a,b} \subset O$ , for some  $a \in O$  and  $b > 0$ .
- **Statement 2:** For any  $a \in \mathbb{Z}$  and  $b > 0$ ,  $N_{a,b}$  is an open set.

# Fürstenberg Topological Argument

- **Statement 1:** Any nonempty open set is infinite.
  - ▶ Proof: if  $O \neq \emptyset$  then  $N_{a,b} \subset O$ , for some  $a \in O$  and  $b > 0$ .
- **Statement 2:** For any  $a \in \mathbb{Z}$  and  $b > 0$ ,  $N_{a,b}$  is an open set.


## Closed sets

A subset  $A$  of a topological space  $X$  is called a closed set if and only if its complement  $A^c$  is an open set in  $X$ .

- **Statement 3:** For any  $a \in \mathbb{Z}$  and  $b > 0$ ,  $N_{a,b}$  is closed.

$$N_{a,b} = \mathbb{Z} \setminus \bigcup_{i=1}^{b-1} N_{a+i,b}$$

and  $\bigcup_{i=1}^{b-1} N_{a+i,b}$  is an open set.



# Fürstenberg Topological Argument

## Some properties of closed sets

If  $X$  is a topological space then:

P1.  $\emptyset$  and  $X$  are closed sets;

P2. The finite union of closed sets is a closed set;

▶ Consider  $A_i$ ,  $1 \leq i \leq n$  closed sets. Thus,

$$X \setminus \bigcup_{i=1}^n A_i = \bigcap_{i=1}^n (X \setminus A_i) \text{ is an open set}$$

P3. The arbitrary intersection of closed sets is a closed set.

▶ Consider  $A_\alpha$ , a family of closed sets. Thus,

$$X \setminus \bigcap A_\alpha = \bigcup (X \setminus A_\alpha) \text{ is an open set}$$



## Argumento de Fürstenberg

- **Statement 4:** Consider  $k$  an integer number such that  $k \neq 1$  and  $k \neq -1$ . Therefore,  $k$  has a prime divisor  $p$  and, consequently,  $k \in N_{0,p}$ .

Also,



$$\mathbb{Z} \setminus \{-1, 1\} = \bigcup_{p \in \mathbb{P}} N_{0,p}, \text{ where } \mathbb{P} \text{ denotes the set of prime numbers.}$$

If  $\mathbb{P}$  is finite then:

- $\bigcup_{p \in \mathbb{P}} N_{0,p}$  is a closed set (**Statement 3 + P2**);
- Thus,  $\{-1, 1\}$  is an open set (**By the definition of a closed set**).
- Consequently  $\{-1, 1\}$  is an infinite set. (**Statement 1**)

**Therefore, the set  $\mathbb{P}$  of the prime numbers is infinite.**

# Referências I

-  Aigner, Martin and Ziegler, Günter M. Proofs from THE BOOK. 6th.Springer (2018)
-  Hillel Fürstenberg. On the Infinitude of Primes. Amer. Math, Monthly. **62**(5) (1955)